

IP44 UNIVERSAL COVER

IP44 protection cover (guaranteed when closed). Ideal for installation where an IP44 protection degree is required. It is fully compatible with all ranges, both BTicino and other brands. It's made using high quality materials that ensure long-term resistance in all weather conditions. It can be installed on Italian standard 3-module flush mounted box. Size: H=11.6 mm - L=14.3 mm



26603

IDROBOX - IP55 WATERPROOF COVERS

DESCRIPTION

Installation on 502E flush-mounting box 2 modules grey RAL7035



25602

DESCRIPTION

Installation on 502E flush-mounting box 2 modules white



25602B

DESCRIPTION

Installation on 503E flush-mounting box 3 modules grey RAL7035



25603

Installation on 503E flush-mounting box 3 modules white



25603B

Installation on 503E flush-mounting box blank grey RAL7035



23940

Installation on 504E flush-mounting box 4 modules grey RAL7035



25604

Installation on 504E flush-mounting box 4 modules white



25604B

IDROBOX PLUS

DESCRIPTION

wall-mounting two way switch - IP55



26003

DESCRIPTION

wall-mounting housing - 2 Matic modules - guarantee IP55 when cover is closed



26055

DESCRIPTION

nameplate pushbutton - for 503E, 502E, boxes - finishes: anthracite, white and tech - IP55



26108L



26108N



26108T

wall-mounting pushbutton - IP55



26005

adapter for 503E boxes to mount the items: 26003, 26005, 26055.



23953

wall-mounting enclosure - with two way switch and 2 Matic module housing - IP55



26200


wall-mounting enclosure for Matic sockets - IP66 (the IP protection rate is guarantee when plugs is in and cover is closed).



26066

IDROBOX - IP40 WALL-MOUNTING ENCLOSURES



DESCRIPTION



DESCRIPTION



DESCRIPTION



IDROBOX - IP55 WALL-MOUNTING ENCLOSURES

DESCRIPTION



DESCRIPTION



DESCRIPTION



IDROBOX - ACCESSORIES FOR WALL MOUNTING ENCLOSURES



23983



23984



25700



25700F/16
25700F/20



25701
25701V



25702



23854



23858



23866/20

Item	IP55 WALL-MOUNTING JUNCTION BOXES	
	Module	Dimension in mm
23983	503	94x82x58
23984	504	142x82x58
ACCESSORIES FOR JUNCTION BOXES		
23854	fairlead Ø 16 mm	
23858	threaded adapter - PG16 pitch	
23866/20	quick-coupling conduit clamp Ø 20 mm	

Item	ACCESSORIES FOR IP40 AND IP55 BOXES
25700	elastic cable gland Ø from 5 to 14-16-20 mm – IP55
25700F/16	IP55 quick-coupling conduit clamp for Ø 16 mm conduit
25700F/20	IP55 quick-coupling conduit clamp for Ø 20 mm conduit
25701	horizontal partition
25701V	vertical partition
25702	internal terminal for earth connection